

RAVENOL MARINE 1630 30 TBN16

SAE: 30W

Mineral



1 l

Vendor:
1163020-001
 Vendor:
 1163020-001-01-999



4 l

Vendor:
1163020-004
 Vendor:
 1163020-004-01-999



10 l

Vendor:
1163020-010



20 l

Vendor:
1163020-020
 Vendor:
 1163020-020-01-999



20 l, ecobox

Vendor:
1163020-B20



60 l

Vendor:
1163020-060
 Vendor:
 1163020-060-01-999



208 l

Vendor:
1163020-208
 Vendor:
 1163020-208-01-999



1 000 l

Vendor:
1163020-700

RAVENOL MARINE 1630 SAE 30 TBN16 is a mineral diesel engine oil for the navy.

RAVENOL MARINE 1630 SAE 30 TBN16 is made from high quality solvent refined basic oils with a special multi functional additivation for the demands of a navy oil for the use of navy diesel engines and for the lubrication of gear transfers in aggregates used on boats.

Application Note

RAVENOL MARINE 1630 SAE 30 TBN16 is used as a lubrication oil in quickly running and so-called « medium speed » navy diesel engines, perhaps with turbo charging and when using distilled fuels with asulfur content up to 1,8 %.

RAVENOL MARINE 1630 SAE 30 TBN16 can also be used for the lubrication of gear transfers in aggregates used on boats.

Characteristics

- a very good oxidation resistance
- a stable viscosity index
- excellent dispersant and detergent characteristics
- a good neutralizing power to neutralize acid connections which occur when burning diesel fuels
- a good cleaning power
- a good corrosion protection
- a good foam prevention
- a low pourpoint
- a good water separation behaviour

Characteristics

<i>Title</i>	<i>Value</i>	<i>Audit</i>
API	CF	
Համապատասխանում է արտադրողի պահանջներին	DEF 91-22/2, MIL-L-2104 C	
Համապատասխանում է արտադրողի բնութագրերին	SAE 30	
Density at 20 °C	890 kg/m ³	EN ISO 12185
Գույն	Brown	տեսողական
Մածուցիկություն 100 °C-ում	11.5 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	101.5 mm ² /s	DIN 51562-1
Viscosity Index VI	100	DIN ISO 2909
Pourpoint	-21 °C	DIN ISO 3016
Flashpoint	245 °C	DIN EN ISO 2592
TBN	16 mgKOH/g	ASTM D2896
Sulphated Ash	2.21 %wt.	DIN 51575
Engine cycle	4T	

Out of production

<i>Product</i>	<i>Vendor</i>	<i>Barcode</i>
1 l	1163020-001-06-999	
10 l	1163020-010-01-999	