

RAVENOL Getriebeoel EPX 140 GL-4/GL-5

SAE: 140W**Mineral****1 l**

Vendor:
1223210-001
Vendor:
1223210-001-01-999

**4 l**

Vendor:
1223210-004
Vendor:
1223210-004-01-999

**10 l**

Vendor:
1223210-010

**20 l**

Vendor:
1223210-020
Vendor:
1223210-020-01-999

**20 l, ecobox**

Vendor:
1223210-B20

**60 l**

Vendor:
1223210-060
Vendor:
1223210-060-01-999

**208 l**

Vendor:
1223210-208
Vendor:
1223210-208-01-999

**1 000 l**

Vendor:
1223210-700

RAVENOL Getriebeoel EPX SAE 140 GL4/GL-5 is a lubricating oil for mechanical transmissions based on high quality base oils and additives that are a balanced combination of active ingredients. Special high-pressure (EP) agents and other additives offer excellent wear protection even under severe operating conditions.

Application Note

RAVENOL Getriebeoel EPX SAE 140 GL4/GL-5 is designed for use in highly loaded, hypoid gears for hypoid gearbox, as well as for axle, transfer case, transmission gear, auxiliary gearboxes in vehicles and machinery and for use as an extreme pressure gear oil where this grade of lubricant is specified by the manufacturer.

Characteristics

- good adhesion and pressure resistant lubricating film
- excellent oxidation stability
- exceptional viscosity-temperature behavior
- a low pour point
- excellent protection against rust and corrosion
- enhanced wear-inhibiting effect
- a good foam-resistant composition
- compatible with all types of metals and sealing materials

Characteristics

Title	Value	Audit
API	GL-4, GL-5	
Համապատասխանում է արտադրողի պահանջներին	CS 3000B, Ford SQ-M2C 9002-A, MIL-L-2105 D, Mack GO-G, ZF TE-ML 05A, ZF TE-ML 07A, ZF TE-ML 17B	
Suitable for	GM	
Density at 20 °C	894 kg/m ³	EN ISO 12185
Գույն	Brown	տեսողական
Մածուցիկություն 100 °C-ում	26 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	352 mm ² /s	DIN 51562-1
Viscosity Index VI	97	DIN ISO 2909
Brookfield Viscosity at -12 °C	55.000 mPa*s	ASTM D2983
Pourpoint	-21 °C	DIN ISO 3016
Flashpoint	222 °C	DIN EN ISO 2592
Copper Strip Test at 121 °C	1b	ASTM D130

Out of production

Product	Vendor	Barcode
1 l	1223210-001-06-999	
10 l	1223210-010-01-999	
20 l, ecobox	1223210-B20-01-888	