

RAVENOL Hydraulikoel HLP-D 22

SAE: 22

Mineral

5 l

Vendor:

1323303-00520 l

Vendor:

1323303-020

Vendor:

1323303-020-01-999

Barcode:

4014835760523

20 l ecobox

Vendor:

1323303-B20208 l

Vendor:

1323303-208

Vendor:

1323303-208-01-999

Barcode:

4014835760585

1 000 l

Vendor:

1323303-700

RAVENOL Hydraulikoel HLP-D 22 is detergent hydraulic oil with good net and cleaning effect.

RAVENOL Hydraulikoel HLP-D 22 is designed with selected base oils with additives to prevent corrosion, wear and friction.

RAVENOL Hydraulikoel HLP-D 22 also contains detergent and dispersing agents, which always provide for a clean hydraulic system. These additives dissolve contaminants, hold them in suspension and enabling the cleaning of contaminated hydraulic systems. The functional elements of a hydraulic system thereby remain

free of deposits and bonds. This will emulsified penetrating water and ensure trouble-free operation of the hydraulic system.

Application Note

RAVENOL Hydrauliköl HLP-D 22 is for use in agriculture hydraulic systems, construction machinery, cement factories, foundries, and electro-plate clutches. It can also be used as functional test oil, inlet oil for aggregates and machinery, textile machinery and machine tools.

Characteristics

- High aging resistance and high corrosion protection
- Good air release
- Excellent wear protection and proper conduct foam
- Very good viscosity-temperature behaviour
- neutral behaviour towards sealing materials
- Extremely good detergent and dispersant characteristics
- Excellent corrosion protection even at the ingress of wetness

Characteristics

Title	Value	Audit
Համապատասխանում է արտադրողի պահանջներին	Daimler DBL 6721, MAN N 698, Parker Denison HF-0	
Համապատասխանում է արտադրողի բնութագրերին	DIN 51524-2	
Density at 20 °C	849 kg/m³	EN ISO 12185
Գույն	tan	սետղական
Մածուցիկություն 100 °C-ում	4.6 mm²/s	DIN 51562-1
Մածուցիկություն 40 °C-ում	23 mm²/s	DIN 51562-1
Viscosity Index VI	120	DIN ISO 2909
Pourpoint	-36 °C	DIN ISO 3016
Flashpoint	200 °C	DIN EN ISO 2592

Out of production

Product	Vendor	Barcode
5 L	1323303-005-01-999	