

RAVENOL Getriebeoel CLP 100

SAE: 100

Mineral



20 l

Vendor:
1332107-020

20 l, ecobox

Vendor:
1332107-B20



208 l

Vendor:
1332107-208
Vendor:
1332107-208-01-999
Barcode:
4014835761582



1 000 l

Vendor:
1332107-700

RAVENOL Getriebeoel CLP 100 is a high quality, mineral-based gear oil formulated with lead-free high-pressure additives (EP additives). Its special active substance combination provides a good, stable high-pressure impact load capacity.

RAVENOL Getriebeoel CLP 100 has a low pour point and therefore a very good cold behaviour.

Application Note

RAVENOL Getriebeoel CLP 100 can be used as a lubricant in nearly all industrial gear drives due to its good stress and/or impact characteristics.

Characteristics

- A very good, stable high-pressure impact capacity
- Resistant characteristics at high temperatures
- A good rust and corrosion impeding effect
- Excellent wear protection

- Very good anti-foaming characteristics
- A low pour point
- Very good cold behaviour

Characteristics

Title	Value	Audit
Համապատասխանում է արտադրողի պահանջներին	AGMA 9005-D94, Clean Panel Coker, FZG 12, S-200 Oxidation Tubes, U.S. Steel 224	
Համապատասխանում է արտադրողի բնութագրերին	DIN 51517-3	
Suitable for	Cincinnati Milacron	
Density at 20 °C	875 kg/m ³	EN ISO 12185
Գույն	tan	տեսողական
Մածուցիկություն 100 °C-ում	11.4 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	106.3 mm ² /s	DIN 51562-1
Viscosity Index VI	106	DIN ISO 2909
Pourpoint	-21 °C	DIN ISO 3016
Flashpoint	242 °C	DIN EN ISO 2592

Out of production

Product	Vendor	Barcode
20 l	1332107-020-01-999	
208 l	1332107-208-01-000	2200000044082 4014835643185