

RAVENOL Getriebeoel CLP 320

SAE: 320

Mineral



5 l

Vendor:
1332110-005



20 l

Vendor:
1332110-020
Vendor:
1332110-020-01-999
Barcode:
4014835761827



20 l ecobox

Vendor:
1332110-B20



60 l

Vendor:
1332110-060
Vendor:
1332110-060-01-999
Barcode:
4014835757165



208 l

Vendor:
1332110-208
Vendor:
1332110-208-01-999
Barcode:
4014835761889



1 000 l

Vendor:
1332110-700

RAVENOL Getriebeoel CLP 320 is a high quality, mineral-based gear oil formulated with lead-free high-pressure additives (EP additives). Its special active substance combination provides a good, stable high-pressure impact load capacity.

RAVENOL Getriebeoel CLP 320 has a low pour point and therefore a very good cold behaviour.

Application Note

RAVENOL Getriebeoel CLP 320 can be used as a lubricant in nearly all industrial gear drives due to its good stress and/or impact characteristics.

Characteristics

- A very good, stable high-pressure impact capacity.
- Resistant characteristics at high temperatures
- A good rust and corrosion impeding effect
- Excellent wear protection
- Very good anti-foaming characteristics
- A low pour point
- Very good cold behaviour

Characteristics

Title	Value	Audit
Համապատասխանում է արտադրողի պահանջներին	AGMA 9005-D94, Clean Panel Coker, S-200 Oxidation Tubes, U.S. Steel 224	
Համապատասխանում է արտադրողի բնութագրերին	DIN 51517-3	
Suitable for	Cincinnati Milacron	
Density at 20 °C	395 kg/m ³	EN ISO 12185
Գույն	tan	տեսողական
Մածուցիկություն 100 °C-ում	24.3 mm ² /s	DIN 51562-1
Մածուցիկություն 40 °C-ում	327.6 mm ² /s	DIN 51562-1
Viscosity Index VI	95	DIN ISO 2909
Pourpoint	-9 °C	DIN ISO 3016
Flashpoint	244 °C	DIN EN ISO 2592

Out of production

Product	Vendor	Barcode
208 l	1332110-208-01-000	2200000044723 4014835643482