

# **RAVENOL Professional Radiator Cleaner**



**0,25 l**

Հողված:

**1390302-250**

Հողված:

1390302-250-05-000

Շտրիխ կոդ:

4014835802667

**RAVENOL Professional Radiator Cleaner** is a radiator cleaning additive, which is used for the quick and easy cleaning of the cooling and heating system.

**RAVENOL Professional Radiator Cleaner** breaks down and binds greasy and oily deposits in radiators, heating systems and pipelines.

**RAVENOL Professional Radiator Cleaner** infiltrates and eliminates sludge and corrosion deposits. RAVENOL Professional Radiator Stop Cleaner neutralises lime residue.

## **Application Note**

**RAVENOL Professional Radiator Cleaner** is added to the radiator. It is recommended to replace rubber parts affected by oil seepage.

Area of application:

Radiator repairs

In the event of reduced radiator performance

In the event of deposits in the cooling system

Changing coolant

For cleaning purposes after engine repairs due to oil in the cooling system

Application: **RAVENOL Professional Radiator Cleaner** suffices for up to 10 litres of coolant. Drain contaminated coolant before cleaning and fill up with fresh water.

Fill in **RAVENOL Professional Radiator Cleaner** and allow the engine to run at operating temperature for approx. 30 minutes. Drain contaminated mixture – in the case of severe contamination, repeat treatment if necessary. Rinse cooling system with clear water. Refill and remove air after cleaning the cooling system and check for leak tightness.

**RAVENOL Professional Radiator Cleaner** can lead to an improved cooling performance after repairs on the cooling system.

## **Characteristics**

- Cleaning of the cooling and heating system
- Protection of the new coolant against prior contamination
- Elimination of sludge and corrosion residue

## Բնութագրերը

Վնուն	Իմաստը	Վունդիտ
Հատուկ հզորություն 20°C-ի դեպքում	1003 գ/սմ <sup>3</sup>	EN ISO 12185
Գույն	Colorless	տեսողական
pH արժեքը 20 °C-ում	10,25	DIN 19268

## OEM անալոգներ

### Ford

MP14300500AB